

**APR Control FAST SELECTION TABLE for R-410A 1 through 35 ton**  
**APR Control - Model # Application Recommendations**

<b>System (or Circuit) Tonnage</b>	<b>Package or Split System</b>	<b>Maximum Suction Riser</b>	<b>Capacity Modulation Percentage</b>	<b>Recommended APR Control Model Number</b>	<b>APR tons Capacity Control</b>
<b>1.5 tons</b>	No APR Control for R-410A is applicable on 1.5 ton or smaller capacity systems at this time				
<b>2.0 tons</b>	package split	N/A	75%	<b>APR-410-1</b>	1.5 tons
<b>2.5 tons</b>	package split	N/A	60%	<b>APR-410-1</b>	1.5 tons
		7/8" OD	60%	<b>APR-410-1</b>	1.5 tons
<b>3.0 tons</b>	package split	N/A	50%	<b>APR-410-1</b>	1.5 tons
		7/8" OD	50%	<b>APR-410-1</b>	1.5 tons
<b>3.5 tons</b>	package split split	N/A	72%	<b>APR-410-2</b>	2.5 tons
		7/8" OD	72%	<b>APR-410-2</b>	2.5 tons
		1-1/8" OD	43%	<b>APR-410-1</b>	1.5 tons
<b>4.0 tons</b>	package split split	N/A	63%	<b>APR-410-2</b>	2.5 tons
		7/8" OD	63%	<b>APR-410-2</b>	2.5 tons
		1-1/8" OD	38%	<b>APR-410-1</b>	1.5 tons

Capacity Control / Fast Selection Chart continued on rear of this page.

**APR Control recommendation is based on best performance, as well as, suction line size in split systems.**

**Staging** - Compressors that are manifolded must be treated as one single large compressor, with APR Control installed at the dual (or tripled) lines – where piping becomes a single circuit. The APR Control will act as capacity modulator when one or more compressors start, changing capacities as each stage comes on-line, responding to changing load requirements.

Example: R-410A - 20 ton Condensing Unit with two compressors manifolded together to a single circuit. APR Control must be selected based on smallest stage system will reduce capacity to – 10 tons in this case. An installed APR-410-6 (6.5 tons capacity control) will act to modulate capacity from 20 tons down to 13.5 tons, and when the second stage compressor turns off, the APR-410-6 will act to modulate capacity from 10 tons down to 3.5 tons. Because the quantity of suction gas will not fall below 3.5 tons, this unit will have no problems operating with a suction riser of 1-3/8" OD, oil entrainment will be satisfactory, maintaining compressor lubrication.

Similar consideration must be given to systems with 2 independent circuits – treat first on/last off circuit as a single circuited system.

**800-727-6447**  
**PO Box 2058**

**Rawal Devices, Inc.**  
**Woburn, MA**

**Fax 781-933-3306**  
**01888-0058**

**APR Control FAST SELECTION TABLE for R-410A 1 through 35 ton**  
**APR Control - Model # Application Recommendations**

<b><u>System (or Circuit) Tonnage</u></b>	<b><u>Package or Split System</u></b>	<b><u>Maximum Suction Riser</u></b>	<b><u>Capacity Modulation Percentage</u></b>	<b><u>Recommended APR Control Model Number</u></b>	<b><u>APR tons Capacity Control</u></b>
<b>5.0 tons</b>	package	N/A	70%	<b>APR-410-3</b>	3.5 tons
	split	7/8" OD	70%	<b>APR-410-3</b>	3.5 tons
	split	1-1/8" OD	50%	<b>APR-410-2</b>	2.5 tons
<b>6.0 tons</b>	package	N/A	58%	<b>APR-410-3</b>	3.5 tons
	split	1-1/8" OD	58%	<b>APR-410-3</b>	3.5 tons
<b>7.5 tons</b>	package	N/A	73%	<b>APR-410-5</b>	5.5 tons
	split	1-1/8" OD	73%	<b>APR-410-5</b>	5.5 tons
	split	1-3/8" OD	47%	<b>APR-410-3</b>	3.5 tons
<b>8.5 tons</b>	package	N/A	76%	<b>APR-410-6</b>	6.5 tons
	split	1-1/8" OD	76%	<b>APR-410-6</b>	6.5 tons
	split	1-3/8" OD	64%	<b>APR-410-5</b>	5.5 tons
	split	1-5/8" OD	32%	<b>APR-410-2</b>	2.5 tons
<b>10 tons</b>	package	N/A	65%	<b>APR-410-6</b>	6.5 tons
	split	1-1/8" OD	65%	<b>APR-410-6</b>	6.5 tons
	split	1-3/8" OD	65%	<b>APR-410-6</b>	6.5 tons
	split	1-5/8" OD	35%	<b>APR-410-3</b>	3.5 tons
<b>12.5 tons</b>	package	N/A	80%	<b>APR-410-10</b>	10.0 tons
	split	1-1/8" OD	80%	<b>APR-410-10</b>	10.0 tons
	split	1-5/8" OD	52%	<b>APR-410-6</b>	6.5 tons
<b>15 tons</b>	package	N/A	67%	<b>APR-410-10</b>	10.0 tons
	split	1-3/8" OD	67%	<b>APR-410-10</b>	10.0 tons
	split	1-5/8" OD	43%	<b>APR-410-6</b>	6.5 tons
<b>20 tons</b>	package	N/A	50%	<b>APR-410-10</b>	10.0 tons
	split	2-1/8" OD	17%	<b>APR-410-6</b>	6.5 tons
<b>35 Tons</b>	package	N/A	57%	<b>APR-410-20</b>	20.0 tons
	split	2-1/8" OD	57%	<b>APR-410-20</b>	20.0 tons

**800-727-6447  
PO Box 2058**

**Rawal Devices, Inc.  
Woburn, MA**

**Fax 781-933-3306  
01888-0058**